



**SAFETY DATA SHEET  
ULTRA PRO SEAL IT**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

**PRODUCT NAME** ULTRA PRO SEAL IT

**SUPPLIER** Instarmac Group plc  
Danny Morson Way  
Birch Coppice Business Park  
Dordon, Tamworth  
Staffordshire. B78 1SE  
United Kingdom  
Tel: +44 (0) 1827 872244  
Fax: +44 (0) 1827 874466  
email@instarmac.co.uk  
www.instarmac.co.uk

**EMERGENCY TELEPHONE** +44 (0)7971 217 347

**2 HAZARDS IDENTIFICATION**

Irritating to eyes and skin.

**CLASSIFICATION** Xi;R36/38.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED	265-149-8	64742-47-8	1-10%	Xn;R65
METHYLTRIAACETOXSILANE	224-221-9	4253-34-3	1-10%	C;R34. R14.

The Full Text for all R-Phrases are Displayed in Section 16

**4 FIRST-AID MEASURES**

**INHALATION**

Remove victim immediately from source of exposure. Get medical attention.

**INGESTION**

Wash out mouth with water

**SKIN CONTACT**

Wash the skin immediately with soap and water.

**EYE CONTACT**

Immediately rinse with water. Continue to rinse for at least 15 minutes.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

Use fire-extinguishing media appropriate for surrounding materials.

**SPECIFIC HAZARDS**

In combustion emits toxic fumes

**PROTECTIVE MEASURES IN FIRE**

Self contained breathing apparatus and full protective clothing must be worn in case of fire. Prevent contact with skin and eyes

**6 ACCIDENTAL RELEASE MEASURES**

REVISION DATE: 04/08/2009

**ULTRA PRO SEAL IT****PERSONAL PRECAUTIONS**

For personal protection, see section 8. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

**ENVIRONMENTAL PRECAUTIONS**

Do not allow to enter drains, sewers or watercourses.

**SPILL CLEAN UP METHODS**

Transfer to a container for disposal. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of waste and residues in accordance with local authority requirements.

**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid direct contact with the substance.

**STORAGE PRECAUTIONS**

Store in a cool and well-ventilated place. Keep containers tightly closed. Store in closed original container at temperatures between 5°C and 25°C. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****ENGINEERING MEASURES**

Provide adequate ventilation.

**RESPIRATORY EQUIPMENT**

Gas/Vapour filter, type A: organic vapours [EN141] must be worn if vapour concentration is above WEL or if ventilation is poor.

**HAND PROTECTION**

Use protective gloves.

**EYE PROTECTION**

Wear approved safety goggles. Provide eyewash station.

**SKIN PROTECTION**

Protective Clothing

**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>APPEARANCE</b>	Coloured paste		
<b>COLOUR</b>	Varying		
<b>ODOUR</b>	Irritating odour which may affect the eyes and respiratory systems		
<b>SOLUBILITY</b>	Insoluble in water		
<b>RELATIVE DENSITY</b>	0.99	<b>FLASH POINT (°C)</b>	70

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Avoid heat. Avoid Moist air and humidity

**MATERIALS TO AVOID**

Strong oxides. Strong acids.

**HAZARDOUS DECOMPOSITION PRODUCTS**

In combustion emits toxic fumes

**11 TOXICOLOGICAL INFORMATION**

**TOXIC DOSE 1 - LD 50** 1540 mg/kg (oral rat)

**TOXICOLOGICAL INFORMATION**

Hazardous Ingredients OCTAMETHYLCYCLOTETRASILOXANE

**ULTRA PRO SEAL IT****12 ECOLOGICAL INFORMATION****ECOTOXICITY**

No data on possible environmental effects have been found.

**13 DISPOSAL CONSIDERATIONS****14 TRANSPORT INFORMATION**

<b>GENERAL</b>	The product is not classified as Dangerous for Carriage.
<b>ADR CLASS</b>	Not dangerous according to ADR.

**15 REGULATORY INFORMATION****LABELLING**

Irritant

**RISK PHRASES**

R36/38 Irritating to eyes and skin.

**SAFETY PHRASES**

S2 Keep out of the reach of children  
 S7 Keep container tightly closed.  
 S23 Do not breathe vapour/spray.  
 S24/25 Avoid contact with skin and eyes.  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 S37 Wear suitable gloves.  
 S46 If swallowed, seek medical advice immediately and show this container or label.  
 S56 Dispose of this material and its container to hazardous or special waste collection point.  
 S64 If swallowed, rinse mouth with water (only if the person is conscious).

**UK REGULATORY REFERENCES**

The Control of Substances Hazardous to Health (Amendment) Regulations 2004 Chemicals (Hazard Information & Packaging) Regulations.

**ENVIRONMENTAL LISTING**

Control of Pollution Act 1974.

**EU DIRECTIVES**

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation [EC] No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation [EEC] No 793/93 and Commission Regulation [EC] No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**APPROVED CODE OF PRACTICE**

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

**NATIONAL REGULATIONS**

Workplace Exposure Limits 2005 (EH40) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007)

**16 OTHER INFORMATION**

REVISION DATE: 04/08/2009

**ULTRA PRO SEAL IT****GENERAL INFORMATION**

If further information on training is required contact Instarmac Group plc

**REVISION DATE** 04/08/2009**REV. NO./REPL. SDS GENERATED** 4**RISK PHRASES IN FULL**

R14 Reacts violently with water.  
R34 Causes burns.  
R65 Harmful: may cause lung damage if swallowed.

**DISCLAIMER**

The purpose of the above information is to describe the products only in terms of health and safety requirements. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. It is the users obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date specified.

All goods are supplied in accordance with Instarmac Group plc's general conditions of sale, copies of which may be obtained by telephoning sales on 01827 872244